

KLEEN GREEN – NOZZLE GEL
MATERIAL SAFETY DATA SHEET

01/11/00

MSDS PROVIDED BY:
STOODY INDUSTRIAL AND WELDING SUPPLY, INC.
3316 National Ave., San Diego, Ca. 92113
Phone: (619) 234-6750
MILITARY EMERGENCY RESPONSE NUMBER 1-800-851-8061

KLEEN GREEN – NOZZLE GEL

VERSION DATE 01/03/96 (REPRODUCED SIWS)

SECTION 1

PRODUCT IDENTIFICATION

COMPANY NAME WHO PROVIDED MSDS..... HARRIS WELCO. DIV. OF J.W. HARRIS CO., INC.
COMPANY ADDRESS..... 1051 YORK RD
KINGS MOUNTAIN, NC 28086
EMERGENCY PHONE NUMBER (800)-424-9300
MSDS VERSION NUMBER..... 3
TRADE NAME KLEEN GREEN – NOZZLE GEL
HAZARD RATING (HMIS) THIS PRODUCT CONTAINS NO VOCS (VOLATILE ORGANIC COMPOUNDS)
HEALTH HAZARD – 0
FLAMMABILITY HAZARD – 1
REACTIVITY HAZARD – 0
PERSONAL PROTECTION - 0
HMIS DESIGNATED KEY 4-SEVERE HAZARD
3-SERIOUS HAZARD
2-MODERATE HAZARD
1 -SLIGHT HAZARD
0--MINIMAL HAZARD

SECTION 2

HAZARDOUS COMPONENTS

<u>MATERIAL</u>	<u>% BY WEIGHT</u>	<u>CAS NUMBER</u>	<u>ACGIH TLV (Mg/M3)</u>	<u>SEC 313</u>
ANTHRACENEDIONE – PHENYL AMINO - DIHYDROXY	0.00 – 0.01%	4851507	NA	NA
PETROLATUM	0.00 – 99.9%	8009038	NA	NA

SECTION 3

PHYSICAL PROPERTIES

BOILING POINT..... NA
MELTING POINT 100.4-140F
VAPOR PRESSURE..... NA
VAPOR DENSITY (AIR=1)..... NA
SOLUBILITY IN WATER..... NIL
SPECIFIC GRAVITY815-.86
EVAPORATION RATE NA
APPEARANCE AND ODOR..... OPAQUE. NO ODOR

SECTION 4

FIRE AND PXPLOSION DATA

FLASH POINT..... GREATER THAN 390F (astm D-92)
EXRINGUISHING MEDIA CARBON DIOXIDE, DRY CHEMICAL, OR FOAM.
SPECIAL PROCEDURES..... PRESSURE-DEMAND, SELF-CONTAINED PROTECTION SHOULD BE
PROVIDED: WATER SPRAY IS AN UNSUITABLE EXTINGUISHING AGENT.
UNUSUAL HAZARDS NA

SECTION 5

REACTIVITY DATA

STABILITY..... STABLE
CONDITIONS TO AVOID..... NONE
HAZARDOUS POLYMERIZATION WILL NOT OCCUR
INCOMPATIBILITY NA
HAZARDOUS DECOMPOSITION PRODUCTS..... NA

SECTION 6

HEALTH HAZARD DATA

ROUTES OF ENTRY NONE

KLEEN GREEN – NOZZLE GEL
MATERIAL SAFETY DATA SHEET

HEALTH HAZARDS	NONE
CARCINOGENICITY	NA
SIGNS & SYMPTOMS OF EXPOSURE	NA
MEDICAL CONDITIONS FROM EXPOSURE	NONE
EMERGENCY & FIRST AID.....	EYES: FLUSH EYES WITH WATER FOR 15 MINUTES. SKIN: WASH WITH SOAP AND WATER. INHALATION: REMOVE TO FRESH AIR. CALL PHYSICIAN. INGESTION: DRINK WATER.
ADDITIONAL INFORMATION	NA

SECTION 7 PRECAUTIONS FOR SAFE HANDLING AND USE

SPILL AND LEAK PROCEDURES	SHUT OFF LEAK AND DIKE UP LARGE SPILLS. AFTER COOLING AND SOLIDIFICATION, SCRAPE AND/OR SHOVEL UP MATERIAL. FINALLY CLEAN AREA WITH AN OIL ABSORBENT MATERIAL.
WASTE AND DISPOSAL METHOD.....	DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.
HANDLING AND STORING PRECAUTIONS	STORE AWAY FROM FLAME.. HEAT (250) MAXIMUM. ALSO KEEP AWAY FROM STRONG OXIDIZING AGENTS.
OTHER PRECAUTIONS.....	NA

SECTION 8 CONTROL MEASURES

RESPIRATORY MEASURES	NONE REQUIRED.
VENTILATION	NA
PROTECTIVE GLOVES.....	IMPERVIOUS WHEN MOLTEN.
EYE PROTECTION	WEAR A FACE SHIELD IF PRODUCT IS MOLTEN
OTHER PROTECTIVE EQUIPMENT	WHEN MOLTEN, WEAR COVERALLS.
WORK/HYGIENIC PRACTICES	FOR MAXIMUM SAFETY: BE CERTIFIED FOR AND WEAR A RESPIRATOR AT ALL TIMES WHEN WELDING AND OR BRAZING.

SECTION 9 DISCLAIMER

THIS DATA IS BELIEVED TO BE ACCURATE. HARRIS WELCO MAKES NO WARRANTY TO AND DISCLAIMS ALL LIABILITY FROM RELIANCE.

SECTION 10 ADDITIONAL INFORMATION

NA = NOT APPLICABLE
NEW JERSEY RIGHT TO KNOW INFORMATION: (HAZARDOUS & NON-HAZARDOUS)
USP PETROLATUM CAS # 8009-03-8
GREEN DYE CAS # 4851-50-7