

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

Product form : Mixture  
Trade name : Tempilstik® 475 °F (246 °C)

**1.2. Relevant identified uses of the substance or mixture and uses advised against****1.2.1. Relevant identified uses**

Main use category : Professional use  
Use of the substance/mixture : Temperature indicator

**1.2.2. Uses advised against**

No additional information available

**1.3. Details of the supplier of the safety data sheet**

LA-CO Industries Europe S.A.S.  
Parc Industriel de la Plaine de  
l'Ain - Allée des Combes.  
01150.BLYES.France.  
Phone: +33 (0)4 74 46 23 23  
Fax: +33 (0)4 74 46 23 29  
E-mail: info@eu.laco.com  
Web: http://www.markal.com

**1.4. Emergency telephone number**

Emergency number : 24-hour emergency: CHEMTREC- U.S. : 1-800-424-9300 International: +1-703-527-3887

| EU Member State | Officieel adviesorgaan   | Adres   | Noodnummer                         |
|-----------------|--|---|------------------------------------|
| AUSTRIA         | Vergiftungsinformationszentrale (Poisons Information Centre)   | Allgemeines Krankenhaus Waehringer Geurtel 18-20 1090 Wien  | +43 1 406 43 43                    |
| BELARUS         | The Belarus Republican Poisons Centre  | Kizhevatova str. 58 220115 Minsk                            | +375 (0)17 201 9158                |
| BELGIUM         | Centre Anti-Poisons/Antigifocentrum c/o Hôpital Central de la Base - Reine Astrid  | Rue Bruyn 1 B -1120 Bruxelles/Brussel                       | +32 70 245 245                     |
| BULGARIA        | Национален токсикологичен информационен център<br>National Clinical Toxicology Centre, Emergency Medical Institute "Pirogov"   | 21 Tottleben Boulevard<br>1606 SOFIA                        | +359 2 9154 409                    |
| CROATIA         | Poisons Control Centre<br>Institute of Medical Research & Occupational Health  | Ksaverska Cesta 2<br>P.O. Box 291<br>HR-10000 Zagreb        | +385 1 234 8342                    |
| CZECH REPUBLIC  | Toxikologické informační středisko<br>Clinic For Occupational Medicine, 1st Medical Faculty, Charles University  | Na Bojišti 1<br>120 00 Praha 2                              | +42 2 2491 9293<br>+42 2 2491 5402 |
| DENMARK         | Gifflinjen<br>Bispebjerg Hospital  | Bispebjerg Bakke 23, 60, 1<br>DK-2400 København NV          | +45 82 12 12 12<br>+45 35 31 55 55 |
| ESTONIA         | Mürgistusteabekeskus   | Gonsiori 29 15027 Tallinn                                   | +372 626 93 90                     |
| FINLAND         | Myrkytystietokeskus  | P.O.B 340 (Haartmaninkatu 4)<br>HUS<br>SF - 00029 Helsinki  | +358 9 471 977                     |
| FRANCE          | ORFILA   |   | +33 1 45 42 59 59                  |
| GERMANY         | Berliner Betrieb für Zentrale Gesundheitliche Aufgaben   | Oranienburger Strasse 285 13437 Berlin                      | +49 30 19240                       |
| GERMANY         | Informations und Beratungszentrum für Vergiftungsfälle   | Kirrberger Straße, Gebäude 9 D-66421 Homburg/Saar           | +49 6841 19240                     |
| GERMANY         | Beratungstelle bei Vergiftungen, Klinische Toxikologie und Beratungsstelle bei Vergiftungen  | Langenbeckstrasse 1 55131 Mainz                             | +49 6131 19240                     |
| GREECE          | Poisons Information Centre   | 11527 Athens  | +30 10 779 3777                    |
| HUNGARY         | Országos Kémiai Biztonsági Intézet (National Institute of Chemical Safety)<br>Egészségügyi Toxikológiai Tájékoztató Szolgálat (Health Toxicological Information Service) | 1437 Budapest PO Box 839<br>1097 Budapest, Nagyváradi tér 2 | +36 80 20 11 99                    |
| ICELAND         | Eitrunarmiðstöðin  | Eitrunarmiðstöðin 108 Reykjavik                             | +354 543 22 22                     |
| IRELAND         | National Poisons Information Centre  | Beaumont Hospital PO Box 1297<br>Beaumont Road 9 Dublin     | +353 1 809 2166                    |

# Tempilstik® 475 °F (246 °C)

## Safety Data Sheet

according to Regulation (EC) No. 453/2010

|             |   |  |  |
|-------------|---|--|--|
| LATVIA      | Valsts Toksikoloģijas centra Saindēšanās un zāļu informācijas centrs  | 2 Hipocrate Street LV 1038 Riga                                | +371 67 04 24 73   |
| LITHUANIA   | Apsinuodijimų kontrolės ir informacijos biuras  | Siltnamiu 29 2043 Vilnius                                      | +370 5 236 20 52/+370 687 53 378                         |
| MALTA       | Medicines & Poisons Info Office   | Mater Dei Hospital, Msida MSD 2090 Malta                       | 25450000   |
| NETHERLANDS | Nationaal Vergiftigingen Informatie Centrum National Institute for Public Health and the Environment, NB this service is only available to health professionals | Huispostnummer B.00.118, PO Box 85500 3508 GA Utrecht          | +31 30 274 88 88   |
| PORTUGAL    | Centro de Informação Antivenenos Instituto Nacional de Emergência Médica (INEM)   | Rua Almirante Barroso, 36 1000-013 Lisboa                      | 808 250 143 (for use only in Portugal), +351 21 330 3284 |
| ROMANIA     | Biroul pentru Regulamentul Sanitar International si Informare Toxicologica  | Str. Dr. Leonte Anastasievici Nr.1-3, Sector 5 50463 Bucuresti | +40 21 318 36 06   |
| SLOVAKIA    | Národné toxikologické informačné centrum University Hospital Bratislava   | Limbová 5 833 05 Bratislava                                    | +421 2 54 77 4 166                                       |
| SPAIN       | Servicio de Información Toxicológica Instituto Nacional de Toxicología, Departamento de Madrid  | Calle Luis Cabrera 9 E-28002 Madrid                            | +34 91 562 04 20   |
| SWEDEN      | Giftinformationscentralen Swedish Poisons Information Centre, Karolinska Hospital   | Box 60 500 SE-171 76 Stockholm                                 | +46 8 33 12 31 (International) 112 (National)            |
| SWITZERLAND | Centre Suisse d'Information Toxicologique   | Freiestrasse 16 Postfach CH-8028 Zurich                        | +41 44 251 51 51 (International) 145 (National)          |

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Muta. 2 H341

Carc. 1B H350

Repr. 2 H361

Aquatic Chronic 3 H412

Full text of H-phrases: see section 16

#### Adverse physicochemical, human health and environmental effects

No additional information available

### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS08

Signal word (CLP) :

Danger

Hazardous ingredients :

Phenolphthalein, 1,1,1 Tris Ethane

Hazard statements (CLP) :

H341 - Suspected of causing genetic defects  
H350 - May cause cancer  
H361 - Suspected of damaging fertility or the unborn child  
H412 - Harmful to aquatic life with long lasting effects

Precautionary statements (CLP) :

P201 - Obtain special instructions before use  
P202 - Do not handle until all safety precautions have been read and understood  
P273 - Avoid release to the environment  
P280 - Wear protective clothing, protective gloves  
P308+P313 - IF exposed or concerned: Get medical advice/attention  
P405 - Store locked up  
P501 - Dispose of contents/container to an authorised waste collection point

### 2.3. Other hazards

PBT: not yet assessed

vPvB: not yet assessed

## SECTION 3: Composition/information on ingredients

### 3.1. Substance

Not applicable

# Tempilstik® 475 °F (246 °C)

## Safety Data Sheet

according to Regulation (EC) No. 453/2010

### 3.2. Mixture

| Name   | Product identifier   | %       | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|--|--|---------|---|
| Phenolphthalein<br>substance listed as REACH Candidate | (CAS No) 77-09-8<br>(EC no) 201-004-7<br>(EC index no) 604-076-00-1    | 85 – 95 | Muta. 2, H341<br>Carc. 1B, H350<br>Repr. 2, H361f               |
| 1,1,1 Tris Ethane                                      | (CAS No) 27955-94-8<br>(EC no) 405-800-7<br>(EC index no) 604-048-00-9 | 5 – 15  | Aquatic Chronic 2, H411   |
| Polyethylene Glycol                                    | (CAS No) 25322-68-3<br>(EC no) 500-038-2                               | 0.1 – 1 | Not classified  |

  

| Name            | Product identifier  | Specific concentration limits |
|-----------------|---|-------------------------------|
| Phenolphthalein | (CAS No) 77-09-8<br>(EC no) 201-004-7<br>(EC index no) 604-076-00-1 | (C >= 1) Carc. 1A, H350       |

Full text of R- and H-phrases: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

- First-aid measures general : Never give anything by mouth to an unconscious person. Get medical advice/attention if you feel unwell.
- First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing.
- First-aid measures after skin contact : Gently wash with plenty of soap and water.
- First-aid measures after eye contact : Rinse cautiously with water for several minutes.
- First-aid measures after ingestion : Rinse mouth. Call a POISON CENTER or doctor/physician if you feel unwell.

### 4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/injuries : Suspected of causing genetic defects. May cause cancer. Suspected of damaging fertility or the unborn child.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

- Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Sand. Water spray.
- Unsuitable extinguishing media : None known.

### 5.2. Special hazards arising from the substance or mixture

- Fire hazard : No specific fire or explosion hazard. Burning produces irritating, toxic and noxious fumes.
- Hazardous decomposition products in case of fire : Thermal decomposition generates : Carbon dioxide. Carbon monoxide.

### 5.3. Advice for firefighters

- Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Do not allow run-off from fire fighting to enter drains or water courses.
- Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection. Wear a self contained breathing apparatus. Wear fire/flame resistant/retardant clothing. EN469.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

- General measures : Avoid creating or spreading dust. Avoid contact with skin and eyes.

#### 6.1.1. For non-emergency personnel

- Protective equipment : Wear suitable protective clothing and gloves.
- Emergency procedures : Evacuate unnecessary personnel.

#### 6.1.2. For emergency responders

- Protective equipment : Wear suitable protective clothing and gloves.
- Emergency procedures : Ventilate area.

### 6.2. Environmental precautions

Avoid release to the environment. Do not discharge into drains or the environment.

### 6.3. Methods and material for containment and cleaning up

- For containment : Avoid generating dust. Contain and collect as any solid.
- Methods for cleaning up : Minimize generation of dust. On land, sweep or shovel into suitable containers.

# Tempilstik® 475 °F (246 °C)

## Safety Data Sheet

according to Regulation (EC) No. 453/2010

### 6.4. Reference to other sections

Section 13: disposal information. Section 7: safe handling. Section 8: personal protective equipment.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Obtain special instructions before use. Use personal protective equipment as required. Do not handle until all safety precautions have been read and understood. Avoid breathing dust, fume.

Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep container tightly closed.

Incompatible products : Strong oxidizers. Strong bases.

Prohibitions on mixed storage : Keep away from incompatible materials.

Storage area : Store in dry, cool, well-ventilated area.

### 7.3. Specific end use(s)

Temperature indicator.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

| Polyethylene Glycol (25322-68-3) |   |   |
|----------------------------------|---|---|
| Austria                          | MAK (mg/m <sup>3</sup> )  | 1000 mg/m <sup>3</sup> (einatembare Fraktion)   |
| Austria                          | MAK Short time value (mg/m <sup>3</sup> )                       | 4000 mg/m <sup>3</sup> max. 4x15 min./Schicht (einatembare Fraktion)  |
| Denmark                          | Grænseværdie (langvarig) (mg/m <sup>3</sup> )                   | 1000 mg/m <sup>3</sup>  |
| Denmark                          | Grænseværdie (kortvarig) (mg/m <sup>3</sup> )                   | 2000 mg/m <sup>3</sup>  |
| Denmark                          | Anmærkninger (DK)   | (Polyethylenglycol (PEG) med middelmolvægt på 200-600)  |
| Germany                          | TRGS 900 Occupational exposure limit value (mg/m <sup>3</sup> ) | 1000 mg/m <sup>3</sup>  |
| Germany                          | TRGS 900 Limitation of exposure peaks (mg/m <sup>3</sup> )      | 8000 mg/m <sup>3</sup>  |
| Germany                          | Remark (TRGS 900)   | (einatembare Fraktion)  |
| Slovakia                         | NPHV (priemerná) (mg/m <sup>3</sup> )                           | 1000 mg/m <sup>3</sup>  |
| Slovakia                         | Upozornenie (SK)  | krátkodobý: kategória II.   |
| Switzerland                      | VME (ppm)   | 1000 ppm  |
| Switzerland                      | Remark (CH)   | (mittlere Molmasse 200–600)   |
| Toluene (108-88-3)               |   |   |
| EU                               | IOELV TWA (mg/m <sup>3</sup> )                                  | 192 mg/m <sup>3</sup>   |
| EU                               | IOELV TWA (ppm)   | 50 ppm  |
| EU                               | IOELV STEL (mg/m <sup>3</sup> )                                 | 384 mg/m <sup>3</sup>   |
| EU                               | IOELV STEL (ppm)  | 100 ppm   |
| EU                               | Notes   | Skin  |
| Denmark                          | Grænseværdie (kortvarig) (mg/m <sup>3</sup> )                   | 188 mg/m <sup>3</sup>   |
| Denmark                          | Grænseværdie (kortvarig) (ppm)                                  | 50 ppm  |
| France                           | Note (FR)   | Peau  |
| Germany                          | TRGS 903 (BGW)  | 3 mg/l o-Kresol (Urin; bei Langzeitexposition/Expositionsende bzw. Schichtende)<br>1 mg/l Toluol (Blut; Expositionsende bzw. Schichtende) |
| Slovakia                         | NPHV (priemerná) (mg/m <sup>3</sup> )                           | 192 mg/m <sup>3</sup> (K)   |
| Slovakia                         | NPHV (priemerná) (ppm)  | 50 ppm (K)<br>600 ppm (Toluén)<br>1.5 ppm (O-krezol)<br>2401 ppm (Kyselina hippurová)   |
| Sweden                           | Anmärkning (SE)   | (B,H)   |

### 8.2. Exposure controls

Appropriate engineering controls : Avoid dispersal of dust in the air (ie, clearing dust surfaces with compressed air). Ensure good ventilation of the work station.

Personal protective equipment : Avoid all unnecessary exposure.

# Tempilstik® 475 °F (246 °C)

## Safety Data Sheet

according to Regulation (EC) No. 453/2010

|                          |   |
|--------------------------|---|
| Hand protection          | : Wear dust impervious gloves. EN374.   |
| Eye protection           | : In case of dust production: protective goggles. EN166.  |
| Skin and body protection | : Long sleeved protective clothing.   |
| Respiratory protection   | : In case of inadequate ventilation wear respiratory protection. Use air-purifying respirator equipped with particulate filtering cartridges. EN 12083. |

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

|   |                               |
|---|-------------------------------|
| Physical state                              | : Solid                       |
| Appearance                                  | : A solid crayon-like marker. |
| Colour                                      | : Variable.                   |
| Odour                                       | : odourless.                  |
| Odour threshold                             | : No data available           |
| pH  | : No data available           |
| Relative evaporation rate (butyl acetate=1) | : No data available           |
| Melting point                               | : No data available           |
| Freezing point                              | : No data available           |
| Boiling point                               | : No data available           |
| Flash point                                 | : No data available           |
| Auto-ignition temperature                   | : No data available           |
| Decomposition temperature                   | : No data available           |
| Flammability (solid, gas)                   | : No data available           |
| Vapour pressure                             | : No data available           |
| Relative vapour density at 20 °C            | : No data available           |
| Relative density                            | : No data available           |
| Solubility                                  | : No data available           |
| Log Pow                                     | : No data available           |
| Viscosity, kinematic                        | : No data available           |
| Viscosity, dynamic                          | : No data available           |
| Explosive properties                        | : No data available           |
| Oxidising properties                        | : No data available           |
| Explosive limits                            | : No data available           |

#### 9.2. Other information

|             |       |
|-------------|-------|
| VOC content | : 0 % |
|-------------|-------|

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

No dangerous reactions known.

#### 10.2. Chemical stability

The product is stable at normal handling and storage conditions.

#### 10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

#### 10.4. Conditions to avoid

Keep away from incompatible materials. Avoid dust formation.

#### 10.5. Incompatible materials

Strong bases. Strong oxidizers.

#### 10.6. Hazardous decomposition products

Thermal decomposition generates : Carbon dioxide. Carbon monoxide.

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

|                |                  |
|----------------|------------------|
| Acute toxicity | : Not classified |
|----------------|------------------|

| Polyethylene Glycol (25322-68-3) |                            |
|----------------------------------|----------------------------|
| LD50 oral rat                    | 47000 mg/kg                |
| LD50 dermal rat                  | > 20000 mg/kg              |
| ATE CLP (oral)                   | 47000.000 mg/kg bodyweight |

# Tempilstik® 475 °F (246 °C)

## Safety Data Sheet

according to Regulation (EC) No. 453/2010

| Phenolphthalein (77-09-8)      |   |
|--------------------------------|---|
| LD50 oral rat                  | > 2000 mg/kg bodyweight                                     |
| 1,1,1 Tris Ethane (27955-94-8) |   |
| LD50 oral rat                  | > 5000 mg/kg bodyweight                                     |
| LD50 dermal rat                | > 2000 mg/kg bodyweight                                     |
| Toluene (108-88-3)             |   |
| LD50 oral rat                  | 5580 mg/kg EU Method B.1 (Acute Toxicity (Oral))            |
| LC50 inhalation rat (mg/l)     | > 20 mg/l/4h OECD Guideline 403 (Acute Inhalation Toxicity) |
| ATE CLP (oral)                 | 5580.000 mg/kg bodyweight                                   |

|   |  |
|---|--|
| <b>Skin corrosion/irritation</b>                          | : Not classified                                       |
| <b>Serious eye damage/irritation</b>                      | : Not classified                                       |
| <b>Respiratory or skin sensitisation</b>                  | : Not classified                                       |
| <b>Germ cell mutagenicity</b>                             | : Suspected of causing genetic defects.                |
| <b>Carcinogenicity</b>                                    | : May cause cancer.                                    |
| <b>Reproductive toxicity</b>                              | : Suspected of damaging fertility or the unborn child. |
| <b>Specific target organ toxicity (single exposure)</b>   | : Not classified                                       |
| <b>Specific target organ toxicity (repeated exposure)</b> | : Not classified                                       |

| Toluene (108-88-3)                    |   |
|---------------------------------------|---|
| LOAEL (inhalation, rat, gas, 90 days) | 1250 ppmv/6h/day  |
| NOAEL (oral, rat, 90 days)            | 625 mg/kg bodyweight/day EU Method B.26. Increased relative weights of liver and kidney are interpreted as toxicologically insignificant differences in the absence of histological findings. |
| NOAEL (inhalation, rat, gas, 90 days) | 300 ppmv/6h/day OECD Guideline 453  |

**Aspiration hazard** : Not classified

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - water : Harmful to aquatic life with long lasting effects.

| Polyethylene Glycol (25322-68-3) |            |
|----------------------------------|------------|
| LC50 fish 1                      | > 100 mg/l |
| LC50 other aquatic organisms 1   | 1000 mg/l  |
| Phenolphthalein (77-09-8)        |            |
| EC50 Daphnia 1                   | > 100 mg/l |
| Toluene (108-88-3)               |            |
| LC50 fish 1                      | 5.5 mg/l   |
| EC50 Daphnia 2                   | 3.78 mg/l  |
| ErC50 (algae)                    | 134 mg/l   |
| LOEC (chronic)                   | 2.77 mg/l  |
| NOEC chronic fish                | 1.39 mg/l  |
| NOEC chronic crustacea           | 0.74 mg/l  |

### 12.2. Persistence and degradability

| Tempilstik® 475 °F (246 °C)    |   |
|--------------------------------|---|
| Persistence and degradability  | May cause long-term adverse effects in the environment. |
| 1,1,1 Tris Ethane (27955-94-8) |   |
| Persistence and degradability  | Not readily biodegradable.                              |
| Biodegradation                 | 8 %   |
| Toluene (108-88-3)             |   |
| Persistence and degradability  | Readily biodegradable.                                  |

### 12.3. Bioaccumulative potential

| Phenolphthalein (77-09-8)      |      |
|--------------------------------|------|
| Log Kow                        | 2.4  |
| 1,1,1 Tris Ethane (27955-94-8) |      |
| Log Kow                        | 3.88 |

# Tempilstik® 475 °F (246 °C)

## Safety Data Sheet

according to Regulation (EC) No. 453/2010

| Toluene (108-88-3)                  |      |
|-------------------------------------|------|
| Bioconcentration factor (BCF REACH) | 90   |
| Log Kow                             | 2.73 |

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

| Tempilstik® 475 °F (246 °C) |   |
|-----------------------------|---|
| PBT: not yet assessed       |   |
| vPvB: not yet assessed      |   |
| Component                   | Component   |
| Phenolphthalein (77-09-8)   | This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII<br>This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII |
| Toluene (108-88-3)          | This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII<br>This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII |

### 12.6. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

|                                   |   |
|-----------------------------------|---|
| Sewage disposal recommendations   | : Do not dispose of waste into sewer.   |
| Waste disposal recommendations    | : Dispose in a safe manner in accordance with local/national regulations.   |
| Ecology - waste materials         | : Avoid release to the environment.   |
| European List of Waste (LoW) code | : For disposal within the EC, the appropriate code according to the European Waste Catalogue (EWC) should be used.  |
| H code                            | : H11 - 'Mutagenic': substances and preparations which, if they are inhaled or ingested or if they penetrate the skin, may induce hereditary genetic defects or increase their incidence.<br>H10 - 'Toxic for reproduction': substances and preparations which, if they are inhaled or ingested or if they penetrate the skin, may induce non-hereditary congenital malformations or increase their incidence.<br>H14 - 'Ecotoxic': waste which presents or may present immediate or delayed risks for one or more sectors of the environment.<br>H7 - 'Carcinogenic': substances and preparations which, if they are inhaled or ingested or if they penetrate the skin, may induce cancer or increase its incidence. |

## SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

### 14.1. UN number

Not considered a dangerous good for transport regulations

### 14.2. UN proper shipping name

Proper Shipping Name (ADR) :

### 14.3. Transport hazard class(es)

Not applicable

### 14.4. Packing group

Not applicable

### 14.5. Environmental hazards

Other information : No supplementary information available.

### 14.6. Special precautions for user

#### 14.6.1. Overland transport

No additional information available

#### 14.6.2. Transport by sea

No additional information available

#### 14.6.3. Inland waterway transport

Carriage prohibited (ADN) : No

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

# Tempilstik® 475 °F (246 °C)

## Safety Data Sheet

according to Regulation (EC) No. 453/2010

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### 15.1.1. EU-Regulations

Contains no substances with Annex XVII restrictions

Contains substance on the REACH candidate list in concentration  $\geq 0.1\%$  or with a lower specific limit: Phenolphthalein (EC 201-004-7, CAS 77-09-8)

Contains no REACH Annex XIV substances

VOC content : 0 %

##### 15.1.2. National regulations

###### Germany

Water hazard class (WGK) : 3 - severe hazard to waters

WGK remark : Classification based on the R-phrases in compliance with Verwaltungsvorschrift wassergefährdender Stoffe (VwVwS)

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

### SECTION 16: Other information

according to Regulation (EC) No. 453/2010

Indication of changes:

Original Document.

Abbreviations and acronyms:

|  |   |
|--|---|
|  | ATE: Acute Toxicity Estimate  |
|  | CAS (Chemical Abstracts Service) number   |
|  | CLP: Classification, Labelling, Packaging.  |
|  | EC50: Environmental Concentration associated with a response by 50% of the test population. |
|  | GHS: Globally Harmonized System (of Classification and Labeling of Chemicals).              |
|  | LD50: Lethal Dose for 50% of the test population  |
|  | OSHA: Occupational Safety & Health Administration   |
|  | PBT: Persistent, Bioaccumulative, Toxic   |
|  | TWA: Time Weight Average  |
|  | TSCA: Toxic Substances Control Act  |

Data sources : ESIS (European chemical Substances Information System; accessed at: <http://esis.jrc.ec.europa.eu/index.php?PGM=cla>.  
European Chemicals Agency (ECHA) C&L Inventory database. Accessed at <http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database>.  
Krister Forsberg and S.Z. Mansdorf, "Quick Selection Guide to Chemical Protective Clothing", Fifth Edition.  
National Fire Protection Association. Fire Protection Guide to Hazardous Materials; 10th edition.  
REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information : None.

Full text of R-, H- and EUH-phrases:

|                   |  |
|-------------------|--|
| Aquatic Chronic 2 | Hazardous to the aquatic environment — Chronic Hazard, Category 2      |
| Aquatic Chronic 3 | Hazardous to the aquatic environment — Chronic Hazard, Category 3      |
| Asp. Tox. 1       | Aspiration hazard, Category 1  |
| Carc. 1B          | Carcinogenicity, Category 1B   |
| Flam. Liq. 2      | Flammable liquids, Category 2  |
| Muta. 2           | Germ cell mutagenicity, Category 2                                     |
| Repr. 2           | Reproductive toxicity, Category 2                                      |
| Repr. 2           | Reproductive toxicity, Category 2                                      |
| Repr. 2           | Reproductive toxicity, Category 2                                      |
| Skin Irrit. 2     | Skin corrosion/irritation, Category 2                                  |
| STOT SE 3         | Specific target organ toxicity — Single exposure, Category 3, Narcosis |
| H225              | Highly flammable liquid and vapour                                     |



# Tempilstik® 475 °F (246 °C)

## Safety Data Sheet

according to Regulation (EC) No. 453/2010

|       |   |
|-------|---|
| H304  | May be fatal if swallowed and enters airways        |
| H315  | Causes skin irritation                              |
| H336  | May cause drowsiness or dizziness                   |
| H341  | Suspected of causing genetic defects                |
| H350  | May cause cancer                                    |
| H361  | Suspected of damaging fertility or the unborn child |
| H361d | Suspected of damaging the unborn child              |
| H361f | Suspected of damaging fertility                     |
| H411  | Toxic to aquatic life with long lasting effects     |
| H412  | Harmful to aquatic life with long lasting effects   |

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

|                   |      |                    |
|-------------------|------|--------------------|
| Muta. 2           | H341 | Calculation method |
| Carc. 1B          | H350 | Calculation method |
| Repr. 2           | H361 | Calculation method |
| Aquatic Chronic 3 | H412 | Calculation method |

LA-CO EU CLP SDS

**SDS Prepared by:** The Redstone Group, LLC  
6077 Frantz Rd.  
Suite 206  
Dublin, OH USA 43016  
T 614-923-7472  
[www.redstonegrp.com](http://www.redstonegrp.com)

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product*